

## MANGANESO AREA DIAMOND DRILL HOLES; 2003 & 2004

Hole No.	UTM N	UTM E	Elev. M	Azimuth	Dip	Length	MQV Assay Interval		True Width	Au g/t
							From	To		
<b>SECTION 595,255 E</b>										
TRD03-041	8,494,437.2	595,225.7	336.1	20.0	-55	146.30	75.10	75.60	0.50	0.7
<b>SECTION 595,350 E</b>										
TRD04-112	8,494,487.5	595,352.3	342.9	350.0	-85	129.20	105.45	105.92	0.47	0.1
<b>SECTION 595,455 E</b>										
TRD03-046	8,494,518.1	595,445.2	338.0	340.0	-55	126.00	60.17	61.15	0.98	0.1
TRD03-048	8,494,518.1	595,445.3	338.0	0.0	-90	101.50	89.10	93.00	3.90	0.1
TRD04-053	8,494,421.4	595,480.2	392.7		-90	293.30	INTERSECTED THRUST FAULT, NO QUARTZ VEIN			
<b>SECTION 595,500 E</b>										
TRD04-053	8,494,421.4	595,480.2	392.7		-90	293.30	INTERSECTED THRUST FAULT, NO QUARTZ VEIN			
TRD04-107	8,494,538.3	595,500.2	339.9	352.5	-55	101.00	67.06	67.22	0.16	6.0
TRD04-108	8,494,539.7	595,503.1	339.8	167.0	-70	151.40	131.20	133.40	2.20	2.7
<b>SECTION 595,539 E</b>										
TRD03-045	8,494,575.0	595,539.2	341.2	349.0	-54	151.55	57.36	60.60	3.24	0.9
TRD04-105	8,494,454.9	595,534.5	393.3	0.0	-65	265.00	179.10	180.67	1.57	1.1
<b>SECTION 595,595 E</b>										
TRD04-104	8,494,596.0	595,590.6	340.2	358.2	-85	90.60	74.00	78.81	2.90	0.9
TRD04-106	8,494,596.0	595,594.7	340.3	177.2	-70	173.80	118.25	125.18	3.35	3.3
TRD04-109	8,494,459.3	595,615.7	411.7	348.0	-75	102.50	ABANDONED			
<b>SECTION 595,633 E</b>										
TRD03-043	8,494,616.3	595,633.0	340.8	356.0	-55	106.70	48.10	49.12	1.02	2.4
TRD03-044	8,494,616.3	595,633.0	340.8	0.0	-90	73.15	57.10	61.62	3.80	1.2
TRD04-071	8,494,465.5	595,660.2	417.3	354.5	-65	247.50	214.86	215.95	1.09	4.4
TRD04-073	8,494,465.5	595,660.2	417.3	174.0	-89	314.80	254.63	255.12	0.45	0.1
<b>SECTION 595,682 E</b>										
TRD04-073	8,494,465.5	595,660.2	417.3	174.0	-89	314.80	254.63	255.12	0.45	0.1
TRD04-102	8,494,462.1	595,709.9	418.9	2.2	-70	304.50	264.00	264.15	0.15	3.6
TRD04-115	8,494,587.2	595,685.4	373.6	353.0	-85	166.50	154.60	155.00	0.40	0.3
<b>SECTION 595,732 E</b>										
TRD04-052	8,494,610.1	595,731.9	372.1	357.0	-55	250.00	80.75	81.75	1.00	0.8
TRD04-102	8,494,462.1	595,709.9	418.9	2.2	-70	304.50	264.00	264.15	0.15	3.6
<b>SECTION 595,739 E</b>										
TRD04-060	8,494,483.1	595,757.2	432.3	350.0	-77	337.50	232.85	239.40	5.95	1.8
TRD04-069	8,494,388.9	595,774.8	430.6	356.0	-80	366.70	306.35	307.34	0.90	0.2
TRD04-092	8,494,507.0	595,799.2	435.4	1.5	-70	281.70	235.93	236.29	0.36	13.3
TRD04-117	8,494,623.0	595,779.0	375.7	180.0	-80	150.50	104.90	109.95	2.70	0.3
<b>SECTION 595,842 E</b>										
TRD04-049	8,494,642.5	595,842.3	376.1	7.0	-55	122.60	71.60	72.00	0.40	11.0
TRD04-050	8,494,642.5	595,842.3	376.1		-90	145.60	108.50	109.55	0.90	3.2
TRD04-057	8,494,531.8	595,842.9	439.3	0.0	-83.5	291.55	219.83	221.30	1.47	3.7
TRD04-063	8,494,433.8	595,848.6	449.9	358.1	-80	355.70	287.50	288.79	1.15	0.4
TRD04-085	8,494,321.9	595,849.2	449.3	350.5	-80	388.15	371.05	372.32	1.20	0.4

**SECTION 595,906 E**

TRD04-075	8,494,564.1	595,927.8	440.9	347.0	-75	253.50	211.74	213.90	2.16	7.0
TRD04-095	8,494,513.4	595,884.8	440.2	357.0	-71	283.90	225.85	227.10	1.25	6.2
TRD04-113	8,494,685.6	595,906.0	382.2	0.5	-70	150.25	82.82	83.04	0.22	2.0
TRD04-114	8,494,685.4	595,906.5	382.3	185.0	-85	150.60	107.56	108.56	1.00	15.3
TRD04-121	8,494,268.6	595,927.1	469.8	7.4	-75	553.50	471.53	476.55	5.02	1.6

**SECTION 595,961 E**

TRD04-075	8,494,564.1	595,927.8	440.9	347.0	-75	253.50	211.74	213.90	2.16	7.0
TRD04-087	8,494,448.7	595,942.3	466.0	5.0	-75	430.50	310.60	313.45	2.85	2.0
TRD04-116	8,494,361.6	595,963.2	475.1	3.0	-75	473.25	410.20	411.45	1.05	6.3
TRD04-121	8,494,268.6	595,927.1	469.8	7.4	-75	553.50	471.53	476.55	4.66	1.6

**SECTION 596,017 E**

TRD04-077	8,494,584.5	596,032.7	452.4	7.0	-75.5	280.50	228.17	229.21	1.00	11.8
TRD04-079	8,494,674.3	596,017.7	432.9	4.0	-55	244.50	94.63	95.13	0.50	0.3
TRD04-111	8,494,481.8	596,023.0	466.9	7.5	-75	332.00	274.15	282.35	8.20	1.6

**SECTION 596,102 E**

TRD04-054	8,494,675.4	596,102.3	451.2	0.0	-55	179.40	98.73	99.47	0.74	2.2
TRD04-056	8,494,675.4	596,102.3	451.2	0.0	-90	172.60	121.60	123.92	2.00	0.1

**SECTION 596,193 E**

TRD04-080	8,494,718.6	596,192.6	460.1	3.0	-55	164.80	99.29	99.77	0.48	0.1
TRD04-082	8,494,718.6	596,192.6	460.1	0.0	-90	229.50	133.50	142.50	7.10	0.1

TRD04-069 Primary cross section of drill hole

TRD04-075 Secondary cross section of drill hole