

TRINIDAD AREA DIAMOND DRILL HOLES: 1996 TO 2006

**MQV
Assay Interval**

Hole No.	UTM N	UTM E	Elev. M	Azimuth	Dip	Length	From	To	True width	Au g/t
SECTION 597,250 E										
TRD03-038	8,495,096.4	597,248.2	551.5	15.0	-55	130.45	71.00	72.00	1.00	6.5
TRD03-040	8,495,096.5	597,248.2	551.5	15.0	-87	111.30	86.20	86.60	0.40	0.06
SECTION 597,500 E										
TRD04-065	8,495,068.2	597,503.9	569.9	2.0	-55	140.80	114.82	121.70	6.88	0.2
TRD04-067	8,495,068.2	597,503.9	569.9	2.0	-80	51.30	ABANDONED			
TRD04-090	8,495,146.4	597,520.7	556.3	355.0	-70	90.50	66.26	66.82	0.56	0.3
TRD05-147	8,494,979.5	597,451.6	578.7	2.0	-55	208.00	164.08	164.16	0.08	<0.5
SECTION 597,550 E										
TRD04-058	8,495,107.5	597,553.6	565.4	358.0	-55	98.00	ABANDONED			
TRD04-089	8,495,068.2	597,547.8	570.5	359.0	-60	180.35	125.32	131.80	6.48	0.1
TRD04-094	8,495,141.2	597,549.5	559.5	0.0	-60	93.50	72.27	75.16	2.89	0.1
TRD05-144	8,494,903.0	597,556.8	587.7	357.0	-57	32.10	ABANDONED			
TRD05-145	8,494,902.8	597,565.3	587.8	3.0	-55	292.30	259.70	259.92	0.22	<0.5
TRD05-146	8,495,003.8	597,559.3	579.3	2.4	-57	226.40	182.95	185.35	2.40	<0.5
SECTION 597,600 E										
TRD04-083	8,495,107.9	597,602.8	569.3	352.1	-53.5	111.00	ABANDONED			
TRD04-084	8,495,107.9	597,602.8	569.3	352.1	-65	204.30	108.03	111.60	3.57	0.3
TRD04-091	8,495,156.4	597,602.9	565.3	0.8	-70	90.10	64.00	64.15	0.15	<0.05
SECTION 597,650 E										
TRD03-037	8,495,124.3	597,647.3	572.5	4.0	-55	142.50	126.48	127.15	0.67	0.1
TRD04-093	8,495,174.0	597,654.6	570.1	356.0	-60	105.40	90.88	91.37	0.49	0.1
TRD05-132	8,495,017.9	597,650.0	586.0	2.3	-55	74.05	ABANDONED			
TRD05-133	8,495,018.3	597,656.6	586.1	0.5	-60	220.70	196.50	197.70	1.20	<0.05
TRD05-134	8,494,919.7	597,647.0	588.7	358.0	-55	282.25	265.55	266.90	1.35	<0.05
TRD06-172	8,494,438.4	597,764.8	568.6	348.0	-60.0	625.3	589.90	591.70	1.80	0.2
TRD06-175	8,494,707.8	597,654.9	589.6	350.0	-60.0	460.4	433.42	444.30	10.86	2.2
TRD06-177	8,494,822.7	597,652.0	590.0	355.1	-55.0	385.30	361.20	363.30	2.10	8.0
SECTION 597,700 E										
TRD04-086	8,495,074.7	597,708.5	580.8	351.8	-55	200.40	167.32	168.56	1.24	8.3
TRD04-096	8,495,166.9	597,706.9	572.7	358.0	-60	120.25	87.55	88.71	1.16	1.7
TRD05-135	8,495,123.6	597,701.8	578.4	5.5	-55	136.40	119.80	120.70	0.90	3.7
TRD05-136	8,495,289.3	597,720.0	558.6	179.0	-50	26.70	8.70	20.70	3.50	0.5
TRD05-137	8,495,278.3	597,720.3	559.9	177.0	-47	130.20	31.60	79.80	6.40	0.8
TRD05-138	8,495,271.4	597,720.6	560.2	183.0	-47	121.20	71.00	83.70	1.65	0.9
TRD05-142	8,495,290.8	597,757.6	559.5	180.0	-47	122.60	14.50	15.50	1.00	0.9
TRD06-172	8,494,438.4	597,764.8	568.6	348.0	-60.0	625.3	589.90	591.70	1.80	0.2
SECTION 597,750 E										
TRD96-025	8,495,229.9	597,772.4	571.7	0.0	-45	76.20	44.70	48.40	3.70	0.6
TRD03-033	8,495,127.3	597,756.7	582.7	358.0	-56	129.00	116.90	119.10	2.20	2.0
TRD04-074	8,494,729.7	597,754.2	588.8	355.0	-58	205.40	ABANDONED			
TRD04-098	8,495,176.6	597,765.1	575.6	357.7	-55	120.10	74.69	85.04	10.35	0.3
TRD05-130	8,495,024.4	597,758.4	587.8	359.0	-55	209.35	194.33	195.05	0.72	0.1
TRD05-131	8,494,921.9	597,762.6	589.9	0.0	-55	294.15	273.00	277.35	4.35	0.7
TRD05-142	8,495,290.8	597,757.6	559.5	180.0	-47	122.60	DRILLED UNDERNEATH MQV IN FOOTWALL			
TRD05-143	8,494,825.0	597,758.6	590.1	357.0	-57	214.75	ABANDONED			
TRD06-172	8,494,438.4	597,764.8	568.6	348.0	-60.0	625.3	589.90	591.70	1.80	0.2
SECTION 597,800 E										
TRD04-076	8,494,732.7	597,804.6	588.1	356.4	-58	445.95	424.86	429.80	4.94	0.1
TRD04-088	8,495,125.6	597,798.4	581.0	7.0	-56	167.90	123.00	125.00	2.00	0.1
TRD04-099	8,495,174.4	597,810.2	570.4	357.7	-55	90.45	81.20	90.45	9.25	0.4
TRD05-140	8,495,289.0	597,784.6	556.6	180.5	-47	79.85	9.60	22.00	3.20	0.5
TRD05-141	8,495,281.6	597,794.7	557.3	178.5	-47	49.15	34.15	49.15	1.80	<0.5

Tertiary Target

Tertiary Target

Intersected in TD-157 Raise

Tertiary Target

SECTION 597,850 E

TRD96-004	8,495,245.3	597,847.0	567.3	0.0	-55	64.00	36.40	42.40	6.00	<0.05
TRD03-028	8,495,131.0	597,849.7	582.2	0.0	-55	181.10	128.75	129.35	0.60	0.1
TRD03-032	8,495,035.4	597,857.8	587.5	359.0	-55	220.30	198.90	201.92	3.02	3.7
TRD03-039	8,494,935.5	597,855.0	589.1	358.0	-54	304.70	269.00	273.00	4.00	0.2
TRD04-047	8,494,733.2	597,855.7	586.4	0.0	-55	371.80	ABANDONED			
TRD04-068	8,494,854.8	597,856.5	589.5	0.5	-59.5	437.50	345.18	347.80	2.62	<0,05
TRD04-070	8,494,731.8	597,881.1	586.3	358.5	-57.5	484.65	435.86	441.51	5.65	3.3
TRD04-076	8,494,732.7	597,804.6	588.1	356.4	-58	445.95	424.86	429.80	4.94	0.1
TRD04-081	8,494,633.7	597,855.8	583.2	351.4	-61	545.40	467.51	468.50	0.99	<0,05
TRD04-101	8,495,174.1	597,854.9	576.1	356.8	-55	130.00	95.70	96.15	0.45	< 0.05
TRD04-129	8,495,242.5	597,848.7	567.1	91.0	-45	259.00	133.75	137.35	1.60	3.1
TRD06-169	8,494,435.2	597,861.9	565.8	351.5	-60.0	633.1	588.30	591.30	3.00	0.1

Secondary Target

SECTION 597,900 E

TRD96-003	8,495,246.9	597,896.9	572.0	0.0	-55	100.60	49.10	52.40	3.30	0.2
TRD04-064	8,495,134.6	597,907.3	582.9	355.0	-55	154.15	132.88	134.20	1.32	1.8
TRD04-070	8,494,731.8	597,881.1	586.3	358.5	-57.5	484.65	435.86	441.51	5.65	3.3
TRD04-129	8,495,242.5	597,848.7	567.1	91.0	-45	259.00	133.75	137.35	1.60	3.1

SECTION 597,950 E

TRD96-001	8,495,263.5	597,946.4	574.5	0.0	-55	99.10	48.80	55.00	6.20	20.1
TRD96-002	8,495,261.7	597,954.5	575.4	6.0	-55	69.20	50.10	55.20	5.10	7.4
TRD96-007	8,495,238.5	597,947.5	576.0	0.0	-55	109.70	76.00	77.10	1.10	1.2
TRD96-017	8,495,263.1	597,933.9	572.7	0.0	-55	118.90	53.90	54.90	1.00	2.3
TRD96-018	8,495,311.3	597,969.9	564.5	0.0	-55	91.40	10.90	18.50	7.60	2.3
TRD03-026	8,495,138.0	597,952.7	585.4	354.0	-55	200.00	150.90	155.10	4.20	8.6
TRD03-030	8,495,047.2	597,959.6	587.0	357.0	-55	231.70	204.42	205.50	1.08	1.8
TRD03-036	8,494,937.9	597,960.6	587.9	0.0	-55	313.50	282.20	283.25	1.05	0.6
TRD04-051	8,494,737.5	597,957.6	583.7	355.0	-58	494.30	420.04	428.35	8.31	3.4
TRD04-055	8,494,636.2	597,961.7	580.1	356.5	-57	539.50	476.80	478.55	1.75	0.3
TRD04-061	8,494,849.6	597,955.9	587.4	352.0	-57	400.00	358.7	361.50	2.80	1.0
TRD04-129	8,495,242.5	597,848.7	567.1	91.0	-45	259.00	133.75	137.35	1.60	3.1

Primary Target

SECTION 598,000 E

TRD96-008	8,495,258.1	597,996.6	571.2	0.0	-55	109.70	40.80	44.00	3.20	0.2
TRD96-018	8,495,311.3	597,969.9	564.5	0.0	-55	91.40	10.90	18.50	7.60	2.3
TRD96-019	8,495,290.9	598,020.6	565.6	0.0	-45	61.00	21.30	24.40	3.00	5.8
TRD04-055	8,494,636.2	597,961.7	580.1	356.5	-57	539.50	477.56	478.05	0.49	0.1
TRD04-062	8,495,131.4	598,007.8	584.0	354.0	-55	65.00	ABANDONED			
TRD04-066	8,494,748.3	598,004.8	581.9	351.0	-57	448.45	411.40	415.80	4.40	2.2
TRD04-129	8,495,242.5	597,848.7	567.1	91.0	-45	259.00	133.75	137.35	1.60	3.1

SECTION 598,050 E

TRD96-005	8,495,372.9	598,083.0	562.2	220.0	-45	64.00	DRILLED TO THE NORTHEAST OF THE MQV			
TRD96-006	8,495,306.9	598,052.1	563.6	70.0	-45	41.00	17.80	26.70	5.40	3.6
TRD96-012	8,495,291.7	598,045.6	563.6	0.0	-45	57.90	22.60	29.90	6.10	8.2
TRD96-013	8,495,291.7	598,045.6	563.6	45.0	-45	70.10	24.30	32.00	7.00	1.4
TRD96-014	8,495,372.1	598,058.0	559.4	225.0	-45	70.10	DRILLED TO THE NORTHEAST OF THE MQV			
TRD96-016	8,495,418.2	598,091.6	556.3	225.0	-45	82.30	DRILLED TO THE NORTHEAST OF THE MQV			
TRD96-020	8,495,295.9	598,072.0	567.5	45.0	-45	27.40	16.20	27.40	9.70	0.7
TRD96-021	8,495,295.1	598,071.3	567.6	45.0	-65	91.40	24.40	25.00	0.55	4.8
TRD96-023	8,495,382.0	598,117.8	561.3	225.0	-45	67.10	DRILLED TO THE NORTHEAST OF THE MQV			
TRD03-027	8,495,141.5	598,052.6	585.2	0.0	-54	200.30	118.60	120.65	2.05	0.9
TRD03-029	8,495,046.6	598,059.6	585.9	358.0	-55	208.55	185.40	186.90	1.50	0.6
TRD03-031	8,494,944.2	598,061.5	584.2	353.0	-55	284.50	262.46	264.72	2.26	1.2
TRD03-042	8,494,842.1	598,058.4	582.6	1.0	-55	430.70	342.62	345.07	2.45	<0,05
TRD04-059	8,494,746.9	598,056.3	578.4	358.0	-58	100.20	ABANDONED			
TRD04-078	8,494,639.1	598,056.9	574.3	351.3	-61.5	492.00	470.74	476.10	5.36	<0,05

SECTION 598,150 E

TRD96-011	8,495,285.3	598,097.8	568.7	45.0	-45	64.00	18.30	35.00	14.45	4.1
TRD96-015	8,495,269.1	598,121.4	567.5	45.0	-45	67.10	18.30	21.30	2.60	0.1
TRD96-022	8,495,391.7	598,140.5	558.1	225.0	-45	91.40	DRILLED TO THE NORTHEAST OF THE MQV			
TRD96-023	8,495,382.0	598,117.8	561.3	225.0	-45	67.10	DRILLED TO THE NORTHEAST OF THE MQV			
TRD96-024	8,495,374.4	598,172.4	556.3	225.0	-45	89.60	DRILLED TO THE NORTHEAST OF THE MQV			
TRD03-034	8,495,147.0	598,153.5	585.3	358.0	-55	175.50	101.50	101.75	0.25	0.1
TRD04-072	8,494,750.9	598,159.2	571.6	341.7	-57.5	475.30	404.73	420.64	15.91	1.0
TRD04-122	8,495,051.7	598,146.4	585.3	0.0	-55	241.20	171.63	174.20	2.57	<0,05
TRD04-124	8,494,960.9	598,150.6	578.6	0.0	-55	122.50	256.30	258.65	2.35	8.8
TRD05-139	8,494,844.3	598,155.7	574.5	353.3	-60	386.80	363.60	367.04	3.44	1.6
TRD05-148	8,494,654.6	598,155.8	570.5	351.0	-57	496.90	455.08	456.54	1.46	0.3

SECTION 598,250 E

TRD96-009	8,495,418.9	598,261.7	527.2	225.0	-45	100.60	DRILLED TO THE NORTEAST OF THE MQV				
TRD96-010	8,495,389.5	598,243.2	547.9	225.0	-45	140.20	DRILLED TO THE NORTEAST OF THE MQV				
TRD03-035	8,495,153.2	598,250.1	582.5	357.0	-55	129.00	94.30	94.93	0.63	18.6	
TRD04-119	8,495,053.9	598,250.4	580.8	3.0	-55	209.25	161.15	162.82	1.67	0.1	
TRD04-126	8,494,965.0	598,248.5	573.9	358.7	-55	293.40	239.46	242.24	2.78	1.2	
TRD05-151	8,494,744.7	598,255.3	566.6	355.5	-58	429.15	394.50	397.97	3.47	1.4	
TRD05-152	8,494,848.9	598,255.9	568.6	357.5	-57	370.35	337.25	343.62	6.37	0.8	
TRD05-158	8,494,652.9	598,256.6	565.4	356.1	-57	490.95	469.35	471.90	2.55	0.2	

SECTION 598,350 E

TRD04-097	8,495,150.6	598,349.9	578.3	3.3	-55	61.70	ABANDONED			
TRD04-100	8,495,048.7	598,355.1	573.7	359.8	-55	220.00	185.65	190.30	4.65	4.6
TRD05-149	8,494,974.3	598,354.4	571.2	356.5	-57	93.65	ABANDONED			
TRD05-150	8,494,974.3	598,354.4	571.2	356.5	-65	277.55	268.52	272.78	2.60	2.5
TRD05-153	8,494,859.4	598,355.5	564.6	357.5	-57	364.35	342.10	342.85	0.75	< 0.05
TRD05-156	8,494,765.9	598,357.6	561.0	356.7	-57	417.70	401.75	402.04	0.29	9.7
TRD05-163	8,494,647.4	598,344.2	560.9	356.5	-58	531.25	INTERSECTED THRUST FAULT, NO QUARTZ VEIN			

SECTION 598,450 E

TRD04-103	8,495,049.8	598,452.7	572.4	0.0	-55	100.20	ABANDONED			
TRD04-103A	8,495,049.8	598,452.7	572.4	0.0	-55	320.40	169.91	171.97	2.06	0.2
TRD04-127	8,495,142.1	598,444.6	555.5	3.5	-55	160.35	99.10	100.52	1.42	0.2
TRD05-154	8,494,964.4	598,450.3	567.3	358.5	-57	39.00	ABANDONED			
TRD05-155	8,494,964.4	598,450.3	567.3	358.5	-65	217.60	ABANDONED			
TRD05-157	8,494,968.5	598,432.8	566.6	4.3	-70	324.05	292.18	295.28	3.10	0.2

SECTION 598,550 E

TRD04-110	8,495,051.5	598,550.2	575.2	3.5	-55	292.50	208.94	209.64	0.70	6.2
TRD04-128	8,495,152.9	598,557.0	547.0	1.7	-55	178.30	117.80	118.71	0.91	<0.05
TRD05-168	8,494,969.7	598,565.8	568.0	356.0	-65	295.55	270.20	271.78	1.58	6.7

SECTION 598,650 E

TRD04-118	8,495,032.9	598,641.0	577.1	0.7	-55	296.30	233.97	234.60	0.63	14.2
-----------	-------------	-----------	-------	-----	-----	--------	--------	--------	------	------

SECTION 598,750 E

TRD04-120	8,495,125.6	598,832.3	522.3	2.7	-55	199.90	INTERSECTED THRUST FAULT, NO QUARTZ VEIN			
TRD04-123	8,495,131.3	598,763.7	530.0	8.0	-55	169.30	INTERSECTED THRUST FAULT, NO QUARTZ VEIN			

SECTION 598,850 E

TRD04-125	8,495,130.4	598,763.7	530.1	0.0	-90	121.65	INTERSECTED THRUST FAULT, NO QUARTZ VEIN			
-----------	-------------	-----------	-------	-----	-----	--------	--	--	--	--

TRD96-025 Drill hole intersected by TD-1-57 raise development

TRD03-026 Drill hole targeted in the TD-1 decline and drift development

TRD04-125 Primary cross section of drill hole

TRD04-055 Secondary cross section of drill hole